



Velvet-451 18mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE +30%PP
DTEX	6700 DTex(±5%)
WEIGHT	0.58 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	18mm
STITCHES /M	140 /m (±10%)
STITCHES m ²	14700 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	1.78 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WaJuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Velvet-451 30mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30%PP
DTEX	6700 DTex(±5%)
WEIGHT	1.03 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	160 /m (±10%)
STITCHES m ²	16800 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.13 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WaJuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Velvet-451 40mm

COLORES **4**



TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	6700 DTex(±5%)
WEIGHT	1.41 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth+ NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING


GAUGE "	3/8 inch
PILE HEIGHT	40mm
STITCHES /M	180 /m (±10%)
STITCHES m ²	18900 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scrapper application

FINAL PRODUCT

TOTAL WEIGHT	2.51 kgr/m ² (±15%)
--------------	--------------------------------



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Velvet-4120 30mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+ 30%PP
DTEX	6700 DTex(±5%)
WEIGHT	1.03 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	160 /m (±10%)
STITCHES m ²	16800 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scrapper application

FINAL PRODUCT

TOTAL WEIGHT	2.13 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD
Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Velvet-4120 40mm

COLORES **4**



TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	6700 DTex(±5%)
WEIGHT	1.41 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth+ NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING


GAUGE "	3/8 inch
PILE HEIGHT	40mm
STITCHES /M	180 /m (±10%)
STITCHES m ²	18900 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.51 kgr/m ² (±15%)
--------------	--------------------------------



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Terrace-4121 18mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7000 DTex(±5%)
WEIGHT	0.57 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	18mm
STITCHES /M	130 /m (±10%)
STITCHES m ²	13650 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT


TOTAL WEIGHT	1.77 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Terrace-4121 28mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7000 DTex(±5%)
WEIGHT	0.78 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	28mm
STITCHES /M	130 /m (±10%)
STITCHES m ²	13650 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scrapper application

FINAL PRODUCT

TOTAL WEIGHT	1.98 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Terrace-459 20mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7000 DTex(±5%)
WEIGHT	0.64 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	20mm
STITCHES /M	140 /m (±10%)
STITCHES m ²	14700 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application


FINAL PRODUCT

TOTAL WEIGHT	1.84 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**

SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Terrace-459 25mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7000 DTex(±5%)
WEIGHT	0.76 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	25mm
STITCHES /M	140 /m (±10%)
STITCHES m ²	14700 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	1.96 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Terrace-459 30mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7000 DTex(±5%)
WEIGHT	0.87 gr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	160 /m (±10%)
STITCHES m ²	16800 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.17 gr/m ² (±15%)
--------------	-------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Libra-416 25mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9000 DTex(±5%)
WEIGHT	0.95 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	25mm
STITCHES /M	140 /m (±10%)
STITCHES m ²	14700 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application


FINAL PRODUCT

TOTAL WEIGHT	2.15 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**

SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Libra-416 30mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9000 DTex(±5%)
WEIGHT	1.26 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	150 /m (±10%)
STITCHES m ²	15750 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.36 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Libra-416 35mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9000 DTex(±5%)
WEIGHT	1.49 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	160 /m (±10%)
STITCHES m ²	16800 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.59 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Libra-416 40mm

COLORES **4**

SECTION 

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9000 DTex(±5%)
WEIGHT	1.91 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING


GAUGE "	3/8 inch
PILE HEIGHT	40mm
STITCHES /M	190 /m (±10%)
STITCHES m ²	19950 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	3.01 kgr/m ² (±15%)
--------------	--------------------------------



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-473 35mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7500 DTex(±5%)
WEIGHT	1.46 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	190 /m (±10%)
STITCHES m ²	19950 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.56 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM
Fujian WajuFo Sports Technology Co., LTD
Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-473
35mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7500 DTex(±5%)
WEIGHT	1.77 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	240 /m (±10%)
STITCHES m ²	25200 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application


FINAL PRODUCT

TOTAL WEIGHT	2.87 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**

SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-473 38mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7500 DTex(±5%)
WEIGHT	1.89 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	38mm
STITCHES /M	240 /m (±10%)
STITCHES m ²	25200 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application


FINAL PRODUCT

TOTAL WEIGHT	2.99 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**

SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-473 38mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7500 DTex(±5%)
WEIGHT	2.09 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth +NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	38mm
STITCHES /M	270 /m (±10%)
STITCHES m ²	28350 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application


FINAL PRODUCT

TOTAL WEIGHT	3.19 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**

SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	6400 DTex(±5%)
WEIGHT	1.27 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	190 /m (±10%)
STITCHES m ²	19950 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT


TOTAL WEIGHT	2.37 kgr/m ² (±15%)
--------------	--------------------------------

Luxe-446
35mm



COLORES **4**

SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	6400 DTex(±5%)
WEIGHT	1.48 kgr/m ² (±10%)

PRIMARY BACKING

TYPE	PP Cloth + NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	230 /m (±10%)
STITCHES m ²	24150 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT


TOTAL WEIGHT	2.58 kgr/m ² (±15%)
--------------	--------------------------------

Luxe-446
35mm



COLORES **4**

SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-446
38mm

TECHNICAL CHARACTERISTICS

COLORES **4**

SECTION 

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	6400 DTex(±5%)
WEIGHT	1.64 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING


GAUGE "	3/8 inch
PILE HEIGHT	38mm
STITCHES /M	240 /m (±10%)
STITCHES m ²	25200 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.74 kgr/m ² (±15%)
--------------	--------------------------------



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-446
38mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	6400 DTex(±5%)
WEIGHT	1.81 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	38mm
STITCHES /M	270 /m (±10%)
STITCHES m ²	28350 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT


TOTAL WEIGHT	2.91 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-4106 35mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7600 DTex(±5%)
WEIGHT	1.47 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	190 /m (±10%)
STITCHES m ²	19950 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.57 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-4106 35mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7600 DTex(±5%)
WEIGHT	1.79 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	240 /m (±10%)
STITCHES m ²	25200 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application


FINAL PRODUCT

TOTAL WEIGHT	2.89 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**

SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-4106 38mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7600 DTex(±5%)
WEIGHT	1.85 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	38mm
STITCHES /M	230 /m (±10%)
STITCHES m ²	24150 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.95 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Luxe-4106 38mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	7600 DTex(±5%)
WEIGHT	2.12 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + NET Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	38mm
STITCHES /M	270 /m (±10%)
STITCHES m ²	28350 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	3.22 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Nerve-455 30mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	10000 DTex(±5%)
WEIGHT	1.45 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	160 /m (±10%)
STITCHES m ²	16800 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.55 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Nerve-455 35mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	10000 DTex(±5%)
WEIGHT	1.75 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	175 /m (±10%)
STITCHES m ²	18375 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.85 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Nerve-455 40mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	10000 DTex(±5%)
WEIGHT	2.09 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	40mm
STITCHES /M	190 /m (±10%)
STITCHES m ²	19950 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	3.19 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Nerve-443 30mm

TECHNICAL CHARACTERISTICS

COLORES **4**

SECTION 

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	10000 DTex(±5%)
WEIGHT	1.45 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING


GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	160 /m (±10%)
STITCHES m ²	16800 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scrapper application

FINAL PRODUCT

TOTAL WEIGHT	2.55 kgr/m ² (±15%)
--------------	--------------------------------



WWW.WAJUFO.COM
Fujian WajuFo Sports Technology Co., LTD
Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Nerve-443 35mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	10000 DTex(±5%)
WEIGHT	1.79 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	180 /m (±10%)
STITCHES m ²	18900 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.89 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	10000 DTex(±5%)
WEIGHT	2.09 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	40mm
STITCHES /M	190 /m (±10%)
STITCHES m ²	19950 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application


FINAL PRODUCT

TOTAL WEIGHT	3.19 kgr/m ² (±15%)
--------------	--------------------------------

Nerve-443
40mm



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Honor-4113 30mm

TECHNICAL CHARACTERISTICS

COLORES **4**

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9400 DTex(±5%)
WEIGHT	1.50 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING


GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	180 /m (±10%)
STITCHES m ²	18900 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scrapper application

FINAL PRODUCT

TOTAL WEIGHT	2.60 kgr/m ² (±15%)
--------------	--------------------------------



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Honor-4113 35mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9400 DTex(±5%)
WEIGHT	1.69 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	180 /m (±10%)
STITCHES m ²	18900 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.79 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Honor-4113 40mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9400 DTex(±5%)
WEIGHT	1.89 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	40mm
STITCHES /M	180 /m (±10%)
STITCHES m ²	18900 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.99 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Honor-4106 30mm

TECHNICAL CHARACTERISTICS

COLORES **4**

SECTION 

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9400 DTex(±5%)
WEIGHT	1.37 kgr/m ² (±10%)

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	160 /m (±10%)
STITCHES m ²	16800 m ² (±10%)



PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

FINAL PRODUCT

TOTAL WEIGHT	2.47 kgr/m ² (±15%)
--------------	--------------------------------



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Honor-4106 35mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9400 DTex(±5%)
WEIGHT	1.69 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	200 /m (±10%)
STITCHES m ²	21000 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scrapper application


FINAL PRODUCT

TOTAL WEIGHT	2.79 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**

SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Honor-4106 38mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9400 DTex(±5%)
WEIGHT	2.24 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Net Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	38mm
STITCHES /M	230 /m (±10%)
STITCHES m ²	24150 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	3.34 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Honor-4122 30mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	9400 DTex(±5%)
WEIGHT	1.40 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	165 /m (±10%)
STITCHES m ²	17325 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	2.50 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Honor-452 50mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	10200 DTex(±5%)
WEIGHT	3.17 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	50mm
STITCHES /M	240 /m (±10%)
STITCHES m ²	25200 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	4.27 kgr/m ² (±15%)
--------------	--------------------------------




COLORES

4

SECTION



50mm (±10%)



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	12400 DTex(±5%)
WEIGHT	1.92 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	30mm
STITCHES /M	180 /m (±10%)
STITCHES m ²	18900 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	3.02 kgr/m ² (±15%)
--------------	--------------------------------


Friends-605
30mm



COLORES **6**



SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	12000 DTex(±5%)
WEIGHT	2.16 kgr/m ² (±10%)

PRIMARY BACKING

TYPE	Double PP Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	38mm
STITCHES /M	170 /m (±10%)
STITCHES m ²	17850 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	3.26 kgr/m ² (±15%)
--------------	--------------------------------


Friends-605
38mm



COLORES **6**



SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	12400 DTex(±5%)
WEIGHT	2.32 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth + Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	40mm
STITCHES /M	170 /m (±10%)
STITCHES m ²	17850 m ² (±10%)

FINISHING

COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	3.42 kgr/m ² (±15%)
--------------	--------------------------------


Friends-605
40mm



COLORES **6**



SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Crystal-4121 35mm

COLORES **4**

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	11200 DTex(±5%)
WEIGHT	2.17 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth+ Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	35mm
STITCHES /M	200 /m (±10%)
STITCHES m ²	21000 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scraper application

FINAL PRODUCT

TOTAL WEIGHT	3.27 kgr/m ² (±15%)
--------------	--------------------------------



SECTION



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China



Crystal-4121 40mm

TECHNICAL CHARACTERISTICS

YARN

TYPE	Monofilament Mix
COMPOSITION	70% PE+30% PP
DTEX	11200 DTex(±5%)
WEIGHT	2.43 kgr/m ² (±10%)

PRIMARY BACKING

TPYE	PP Cloth+ Non-woven Cloth
COMPOSITION	Polypropylene

WARRANTY

WARRANTY	1.000 KLY
----------	-----------

TUFTING

GAUGE "	3/8 inch
PILE HEIGHT	40mm
STITCHES /M	200 /m (±10%)
STITCHES m ²	21000 m ² (±10%)

FINISHING


COMPOSITION	SBR
TYPE	Scrapper application

FINAL PRODUCT

TOTAL WEIGHT	3.53 kgr/m ² (±15%)
--------------	--------------------------------



COLORES **4**



WWW.WAJUFO.COM

Fujian WajuFo Sports Technology Co., LTD

Add: F8 Shichuang Tower, No.100 Jiangbin East Avenue, Mawei District, Fuzhou City, Fujian Province, China